

[Home](#) ■ [Ürünler](#) ■ [Stainless Steel Equipment](#) ■ [Manhole Equipment](#) ■ [Safety Climbing Systems](#)

## Safety Climbing Systems

HUBER-safety climbing systems comply with regulations, standards and paragraphs.

Personal safety and safe investment!

### Safety access ladder SiS 1




Safety access ladder, with design certification and CE marking, in accordance with DIN EN 14396, made of 1.4307 (AISI 304 L) stainless steel.

### Safety access ladder with safety guard rail SiS 2

Completely made of stainless steel

"According to UVV a guard protection is required for heights of 5m."

The centrally welded-on guard rail prevents from falling with heights of more than 5 m and allows thus safe entrance to deep shafts.



### Safety climbing tree with guard rail SiS 3

Completely made of stainless steel with integrated safety guard rail.

"According to UVV a guard protection is required for heights of 5m."

The small width of HUBER safety climbing devices provides optimal protection against falling even in narrow shafts



### Fall arrester S5c

Self-revolving fall arrester in compliance with DIN EN 353-1:2014 and CNB/P/11.073. Fits for Safety access ladder with guard rail SiS 2, safety climbing tree with guard rail SiS 3 and safety rail for manholes SiS 4.

### Embedded step pockets SiS 6 SK

Completely stainless steel, available from stock

Embedded step pockets, 1.4301/1.4307 stainless steel.

Consisting of a chamfered stainless steel plate, 1.5 mm thick. U-profile with perforated surface (30 mm). Completely shielded arc welded, acid-treated in a pickling bath and passivated.

### Data Sheets

- [SiS 2 \[pdf, 104 KB\]](#)
- [SiS 3 \[pdf, 104 KB\]](#)
- [SiS 4 \[pdf, 83 KB\]](#)
- [SiS 6 SK \[pdf, 42 KB\]](#)
- [SiS 6 SE \[pdf, 54 KB\]](#)
- [SiS 7 \[pdf, 81 KB\]](#)

### Dimension Sheets

- [SiS 1 - vertical installation, type A \[pdf, 64 KB\]](#)
- [SiS 1 - angled wall fixing, type B \[pdf, 61 KB\]](#)

[SiS 1 - angled floor fixing, type C](#) [pdf, 60 KB]

[SiS 2](#) [pdf, 76 KB]

[SiS 3](#) [pdf, 76 KB]

[SiS 4a](#) [pdf, 67 KB]

[SiS 4b](#) [pdf, 40 KB]

[SiS 6a](#) [pdf, 42 KB]

[SiS 6b](#) [pdf, 51 KB]

[SiS 7](#) [pdf, 43 KB]

## Uygulama raporları

- [Stadtwerke Bielefeld continue to invest into HUBER products for the refurbishment of water reservoirs](#)
- [Reconstruction of Manholes](#)
- [Personnel Safety with Safety Climbing Systems](#)

## Media



## Bu grupta daha fazla ürün: Manhole Equipment

- [Manhole Covers](#)
- [Entrance Aids](#)
- [Ventilation Stacks](#)
- [Finished Manholes](#)

Adresse / address: HUBER SE · Industriepark Erasbach A1 · 92334 Berching · Germany · Telefon / phone: + 49 - 84 62 - 201 - 0 · Fax / fax: + 49 - 84 62 - 201 - 810  
e-mail: [info@huber.de](mailto:info@huber.de) · Internet: <http://www.huber.de>

Sitz der Gesellschaft / Headquarters: Berching · AG Nürnberg / Register of companies: HRB 25558  
Vorstand / Board: Georg Huber (Vorsitzender / CEO), Dr.-Ing. Oliver Rong (stellvertretender Vorsitzender / Vice CEO), Dr.-Ing. Johann Grienberger, Rainer Köhler  
Aufsichtsratsvorsitzender / Chairman of the Supervisory Board: Alois Ponnath

USt (VAT)-IdNr.: DE 812353219

Bank: HypoVereinsbank Nürnberg (BLZ 760 200 70) 5 008 409 · SWIFT-BIC: HYVEDEMM460 · IBAN: DE 30 7602 0070 0005 0084 09

