

[Home](#) ■ [Ürünler](#) ■ [Stainless Steel Equipment](#) ■ [Technical Doors](#) ■ [Pressure-tight Door](#)

## Pressure-tight Door

Pressure-tight doors up to 10 m water head.

Completely made from stainless steel (1.4571/1.4404).

### Pressure-tight door, rectangular TT 7



Completely made from stainless steel  
Applicable as access for container, especially in the water supply.

### Pressure-tight door, rectangular, central lock TT 7.Z

Completely made from stainless steel  
Applicable as access for container, especially in water supply and for stormwater overflow tanks.



### Pressure-tight door, round TT 7.R

Completely made from stainless steel

Applicable as access for container, especially in water supply.

### Data Sheets

[TT 7](#) [pdf, 148 KB]

[TT 7.Z](#) [pdf, 335 KB]

[TT 7.R](#) [pdf, 56 KB]

### Dimension Sheets


[TT 7](#) [pdf, 168 KB]

[TT 7.Z](#) [pdf, 185 KB][TT 7.R](#) [pdf, 65 KB]

## Uygulama raporları

- First ozonation plant for advanced wastewater treatment in the Netherlands: HUBER supplies stainless steel equipment for Houten wastewater treatment plant
- First HUBER TT7-30 pressure doors installed at Echthausen waterworks
- New Pressure Door model to withstand even higher pressures!
- HUBER flood protection solution for Weltenburg Abbey successfully stands first crucial test
- Stormwater tanks with effective flood protection in the Principality of Liechtenstein

## Media



HUBER Pressure-tight Door for drinking water storage tanks  
<https://www.youtube.com/watch?v=qYmQS7umU-0>

## Bu grupta daha fazla ürün: Technical Doors

- [Stainless Steel Doors](#)
- [Safety Door](#)
- [Chlorine Room Door](#)
- [Flood-proof Door](#)
- [Access/Inspection Cover](#)
- [Louvre](#)
- [Windows](#)

Adresse / address: HUBER SE · Industriepark Erasbach A1 · 92334 Berching · Germany · Telefon / phone: + 49 - 84 62 - 201 - 0 · Fax / fax: + 49 - 84 62 - 201 - 810  
e-mail: [info@huber.de](mailto:info@huber.de) · Internet: <http://www.huber.de>

Sitz der Gesellschaft / Headquarters: Berching · AG Nürnberg / Register of companies: HRB 25558  
Vorstand / Board: Georg Huber (Vorsitzender / CEO), Dr.-Ing. Oliver Rong (stellvertretender Vorsitzender / Vice CEO), Dr.-Ing. Johann Grienberger, Rainer Köhler  
Aufsichtsratsvorsitzender / Chairman of the Supervisory Board: Alois Ponnath

USt (VAT)-IdNr.: DE 812353219

Bank: HypoVereinsbank Nürnberg (BLZ 760 200 70) 5 008 409 · SWIFT-BIC: HYVEDEMM460 · IBAN: DE 30 7602 0070 0005 0084 09

